

# VIDEO SWITCH

## 4-Port 8K DisplayPort 1.4 Video Switch with Serial, IR and Push Button Control

Model: VSW-DP14-8K41

### PRODUCT OVERVIEW

VSW-DP14-8K41 8K DisplayPort 1.4 Video Switch is a 4-port DisplayPort 1.4 switch with IR and RS-232 serial control, allowing users to select one of four DisplayPort sources and route it to a single display device (monitor or projector). Input selection can be performed via the front panel push buttons, IR remote control (up to 5 meters), or serial commands.



The unit supports DisplayPort 1.4 (HBR3) with a maximum bandwidth of 32.4 Gbps and complies with HDR10, HDCP 2.2 / 1.4, and DisplayPort Multi-Stream Transport (MST) pass-through. No software or driver installation is required; operation is plug-and-play after power connection.

The switch supports video resolutions up to 7680 × 4320 @ 60Hz (4:4:4) with DSC, 5120 × 1440 @ 120Hz (4:4:4), 3840 × 2160 @ 144Hz (4:4:4), and 3840 × 2160 @ 120Hz (4:4:4). EDID pass-through ensures compatibility with 16:9, 21:9, and 32:9 aspect ratio displays.

The VSW-DP14-8K41 is suitable for high-resolution AV systems, gaming setups, professional content creation, and CAD/CAM workstation environments.

# VIDEO SWITCH

## KEY FEATURES

- Allows users to select 1 DisplayPort video input from 4 DisplayPort sources
- Supports DisplayPort 1.4 with resolutions up to:
  - 7680 × 4320 @ 60Hz (4:4:4)
  - 5120 × 1440 @ 120Hz (4:4:4)
  - 3840 × 2160 @ 144Hz (4:4:4)
- Supports variable refresh rate (VRR) technologies and high refresh rates
- Supports HDR10 for enhanced dynamic range and improved lighting and shadow detail
- Provides 3 control methods:
  - Front panel push button
  - IR remote control
  - Serial control
- LED indicators show the status of video inputs
- HDCP 2.2 / 1.4 compliant
- DisplayPort Multi-Stream Transport (MST) compliant (pass-through)
- Suitable for gaming, media, medical, education, control center, and military applications

# VIDEO SWITCH

## PRODUCT SPECIFICATIONS

Features	VSW-DP14-8K41
<b>Video Resolution (Max.)</b>	7680 x 4320 @ 60Hz (4:4:4) (DSC) 7680 x 4320 @ 60Hz (4:2:0) 7680 x 4320 @ 30Hz (4:4:4) 5120 x 2880 @ 60Hz (4:4:4) 5120 x 1440 @ 120Hz (4:4:4) 3840 x 2160 @ 144Hz (4:4:4) (DSC) 3840 x 2160 @ 120Hz (4:4:4) 2560 x 1440 @ 144Hz (4:4:4) 2560 x 1440 @ 120Hz (4:4:4) 2048 x 2048 @ 60 Hz (4:4:4) (2K x 2K)
<b>Video Input</b>	DisplayPort 1.4 x 4
<b>Video Output</b>	DisplayPort 1.4 x 1
<b>Audio Input</b>	3.5 mm Audio Jack x 4
<b>Audio Output</b>	3.5 mm Audio Jack x 1
<b>IR Control</b>	IR Sensor x 1 (Front)
<b>Serial Control</b>	2.5mm Jack x 1 (RS-232)
<b>Push Button Control</b>	Port 1 x 1 Port 2 x 1 Port 3 x 1 Port 4 x 1
<b>LED Indicators</b>	Power (Status) x 1 Video Input x 4
<b>Bandwidth (Max.)</b>	32.4 Gbps (HBR3)
<b>Dynamic HDR</b>	Yes
<b>Variable Refresh Rate (VRR)</b>	Yes (Sync)
<b>HDCP Compliance</b>	HDCP 2.2 and HDCP 1.4
<b>Multi-Stream Transport (MST)</b>	Yes ( Passthrough)
<b>Power Supply</b>	DC 9 ~ 12V
<b>Operating Environment</b>	0 ~ 40°C, Humidity < 80%
<b>Storage Temperature</b>	-20 ~ 60°C
<b>Enclosure</b>	Metal
<b>Dimension H x W x D (mm)</b>	34 x 220 x 100
<b>Weight (g)</b>	740

# VIDEO SWITCH

## CONNECTION DIAGRAM



## Front and Rear Panel View



# VIDEO SWITCH

## PACKAGE CONTENTS

- 1 × 4-Port DisplayPort Video Switch
- 1 × IR Remote Controller
- 1 × DC Power Adapter
- 1 × User Manual
- 1 × Foot Pad Set

## WARRANTY

- Standard 1-Year Limited Warranty, unless otherwise specified by Sales.
- Optional Advance Replacement Warranty is available upon request

## ORDERING INFORMATION

Part Number	Descriptions
<b>VSW-DP14-8K41</b>	4-Port 8K DisplayPort 1.4 Video Switch with Serial, IR and Push Button Control

## CONTACT INFORMATION

For more information, please visit our website or contact our customer service team:

- **Website:** [www.dsgio.com](http://www.dsgio.com)
- **Email:** [sales.apac@dsgio.com](mailto:sales.apac@dsgio.com)

## DISCLAIMER

DSGio shall not be liable for any damages, including punitive, consequential, or cost of cover damages, arising from any errors in the product information or specifications provided in this document. This document is subject to revision by DSGio at any time without prior notice.